

LED MINI PANEL

ROUND MODULE



3W



DL2431 White Light 6000K
DL2432 Neutral Light 4500K
DL2433 Warm Light 2700K

6W



DL2434 White Light 6000K
DL2435 Neutral Light 4500K
DL2436 Warm Light 2700K

12W



DL2437 White Light 6000K
DL2438 Neutral Light 4500K
DL2439 Warm Light 2700K

18W



DL2335 White Light 6000K
DL2440 Neutral Light 2700K
DL2336 Warm Light

25W



DL2441 White Light 6000K
DL2442 Neutral Light 4500K
DL2443 Warm Light 2700K

	3W MINI PANEL	6W MINI PANEL	12W MINI PANEL	18W MINI PANEL	25W MINI PANEL
Model No.	DL2431/DL2432/DL2433	DL2434/DL2435/DL2436	DL2437/DL2438/DL2439	DL2335/DL2440/DL2336	DL2441/DL2442/DL2443
Watts	3W	6W	12W	18W	25W
Input Voltage	AC:85-265V	AC:85-265V	AC:85-265V	AC:85-265V	AC:85-265V
Flux	195 lm	390 lm	780 lm	1170 lm	1625 lm
Beam Angle	150°	150°	150°	150°	150°
Light Color	WH/NW/WW	WH/NW/WW	WH/NW/WW	WH/NW/WW	WH/NW/WW
CRI	>80	>80	>80	>80	>80
IP Rating	IP20	IP20	IP20	IP20	IP20
Life Span	25 000 h	25 000 h	25 000 h	25 000 h	25 000 h
Dimension	φ85x25 mm	φ120x25 mm	φ170x25 mm	φ225x25 mm	299x25 mm
EAN Code 6000K	3800156624313	3800156624344	3800156624375	3800156623354	3800156624412
EAN Code 4500K	3800156624320	3800156624351	3800156624382	3800156624405	3800156624429
EAN Code 2700K	3800156624337	3800156624368	3800156624399	3800156623361	3800156624436

LED MINI PANEL

SQUARE MODULE



3W



DL2444 White Light 6000K
DL2445 Neutral Light 4500K
DL2446 Warm Light 2700K

6W



DL2447 White Light 6000K
DL2448 Neutral Light 4500K
DL2449 Warm Light 2700K

12W



DL2450 White Light 6000K
DL2451 Neutral Light 4500K
DL2452 Warm Light 2700K

18W



DL2348 White Light 6000K
DL2453 Neutral Light 4500K
DL2349 Warm Light 2700K

25W




DL2454 White Light 6000K
DL2455 Neutral Light 4500K
DL2456 Warm Light 2700K

	3W MINI PANEL	6W MINI PANEL	12W MINI PANEL	18W MINI PANEL	25W MINI PANEL
Model No.	DL2444/DL2445/DL2446	DL2447/DL2448/DL2449	DL2450/DL2451/DL2452	DL2348/DL2453/DL2349	DL2454/DL2455/DL2456
Watts	3W	6W	12W	18W	25W
Input Voltage	AC:85-265V	AC:85-265V	AC:85-265V	AC:85-265V	AC:85-240V
Flux	195 lm	390 lm	780 lm	1170 lm	1625 lm
Beam Angle	150°	150°	150°	150°	150°
Light Color	WH/NW/WW	WH/NW/WW	WH/NW/WW	WH/NW/WW	WH/NW/WW
CRI	>80	>80	>80	>80	>80
IP Rating	IP20	IP20	IP20	IP20	IP20
Life Span	25 000 h	25 000 h	25 000 h	25 000 h	25 000 h
Dimension	87x87x22 mm	122x122x22 mm	170x170x22 mm	225x225x25 mm	295x295x25 mm
EAN Code 6000K	3800156624443	3800156624474	3800156624504	3800156623484	3800156624542
EAN Code 4500K	3800156624450	3800156624481	3800156624511	3800156624535	3800156624559
EAN Code 2700K	3800156624467	3800156624498	3800156624528	3800156623491	3800156624566



NEW

Model No.	DL2385	SP2386	SP2387
P Watts	16W	16W	16W
V Input Voltage	AC:200-240V	AC:200-240V	AC:200-240V
F Flux	1280 lm	1280 lm	1280 lm
B Beam Angle	120°	120°	120°
L Light Color	WHITE LIGHT	NEUTRAL LIGHT	WARM LIGHT
Ra CRI	>80	>80	>80
I IP Rating	IP20	IP20	IP20
L Life Span	25 000 h	25 000 h	25 000 h
L Dimension	295x295x9 mm	295x295x9 mm	295x295x9 mm



EAN Code 6000K [3800156623859](#)
 EAN Code 4500K [3800156623866](#)
 EAN Code 2700K [3800156623873](#)


16W

LED PANEL WITH DRIVER

DL2385 White Light [6000K](#)
 DL2386 Neutral Light [4500K](#)
 DL2387 Warm Light [2700K](#)



Model No.	DL2350	DL2363	DL2351
P Watts	36W	36W	36W
V Input Voltage	AC: 200-240V	AC:200-240V	AC:200-240V
F Flux	2880 lm	2880 lm	2880 lm
B Beam Angle	120°	120°	120°
L Light Color	WHITE LIGHT	NEUTRAL LIGHT	WARM LIGHT
Ra CRI	>80	>80	>80
I IP Rating	IP20	IP20	IP20
L Life Span	25 000 h	25 000 h	25 000 h
L Dimension	595x595x9 mm	595x595x9 mm	595x595x9 mm




EAN Code 6000K [3800156623507](#)
 EAN Code 4500K [3800156623637](#)
 EAN Code 2700K [3800156623514](#)

36W

LED PANEL WITH DRIVER

DL2350 White Light [6000K](#)
 DL2363 Neutral Light [4500K](#)
 DL2351 Warm Light [2700K](#)



Model No.	DL2388	DL2389	DL2390
P Watts	24W	24W	24W
V Input Voltage	AC:200-240V	AC:200-240V	AC:200-240V
F Flux	1920 lm	1920 lm	1920 lm
B Beam Angle	120°	120°	120°
L Light Color	WHITE LIGHT	NEUTRAL LIGHT	WARM LIGHT
Ra CRI	>80	>80	>80
I IP Rating	IP20	IP20	IP20
L Life Span	25 000 h	25 000 h	25 000 h
L Dimension	295x595x9 mm	295x595x9 mm	295x595x9 mm



EAN Code 6000K [3800156623880](#)
 EAN Code 4500K [3800156623897](#)
 EAN Code 2700K [3800156623903](#)

24W

LED PANEL WITH DRIVER


DL2388 White Light [6000K](#)
 DL2389 Neutral Light [4500K](#)
 DL2390 Warm Light [2700K](#)



NEW

48W

LED PANEL WITH DRIVER



Model No.	DL2367	DL2368
P Watts	48W	48W
V Input Voltage	AC:200-240V	AC:200-240V
F Flux	3840 lm	3840 lm
B Beam Angle	120°	120°
L Light Color	WHITE LIGHT	NEUTRAL LIGHT
Ra CRI	>80	>80
I IP Rating	IP20	IP20
L Life Span	25 000 h	25 000 h
L Dimension	595x595x9 mm	595x595x9 mm



DL2367 White Light [6000K](#)
 DL2368 Neutral Light [4500K](#)

EAN Code 6000K [3800156623675](#)
 EAN Code 4500K [3800156623682](#)



Model No.	DL2711	SP2712	SP2713
Watts	48W	48W	48W
Input Voltage	AC:175-265V	AC:175-265V	AC:175-265V
Flux	3840 lm	3840 lm	3840 lm
Beam Angle	120°	120°	120°
Light Color	WHITE LIGHT	NEUTRAL LIGHT	WARM LIGHT
CRI	>80	>80	>80
IP Rating	IP20	IP20	IP20
Life Span	25 000 h	25 000 h	25 000 h
Dimension	595x595x9 mm	595x595x9 mm	595x595x9 mm



EAN Code 6000K [3800156627116](#)
 EAN Code 4500K [3800156627123](#)
 EAN Code 2700K [3800156627130](#)

48W TÜV
LED PANEL WITH DRIVER

DL2711 White Light [6000K](#)
 DL2712 Neutral Light [4500K](#)
 DL2713 Warm Light [2700K](#)



48W TÜV
LED PANEL WITH DRIVER

Model No.	DL2714	DL2715	DL2716
Watts	48W	48W	48W
Input Voltage	AC:200-240V	AC:200-240V	AC:200-240V
Flux	3840 lm	3840 lm	3840 lm
Beam Angle	120°	120°	120°
Light Color	WHITE LIGHT	NEUTRAL LIGHT	WARM LIGHT
CRI	>80	>80	>80
IP Rating	IP20	IP20	IP20
Life Span	25 000 h	25 000 h	25 000 h
Dimension	1195x295x9 mm	1195x295x9 mm	1195x295x9 mm




EAN Code 6000K [3800156627147](#)
 EAN Code 4500K [3800156627154](#)
 EAN Code 2700K [3800156627161](#)

DL2714 White Light [6000K](#)
 DL2715 Neutral Light [4500K](#)
 DL2716 Warm Light [2700K](#)



LED PANEL FRAME



OT5195
 Dimension **300x300mm**
OT5198
 Dimension **600x600mm**

OT5196
 Dimension **600x300mm**
OT5197
 Dimension **1200x300mm**



ACCESSORIES FOR HANGING



OT5182
 Stainless steel cable



Clips for LED Panel
OT5188

